


ICSBEP Accomplishments

Dave Heinrichs Lawrence Livermore National Laboratory



Outline

- FY-2015 accomplishments
- FY-2016 accomplishments
- FY-2016 work in progress
- NEA liaison activities
- Upcoming meetings
- Issues





FY2015 Accomplishments – NCSP

NEA/NSC/DOC(95)03/IV Volume IV

LEU-COMP-THERM-096



PARTIALLY-REFLECTED WATER-MODERATED SQUARE-PITCHED U(6.90)O₂ FUEL ROD LATTICES WITH 0.67 FUEL TO WATER VOLUME RATIO (0.800 CM PITCH)

Evaluator

Garv A. Harms Sandia National Laboratories

> Internal Reviewer John A. Miller

Independent Reviewer

Nicolas Leclaire Institut de Radioprotection et de Sûreté Nucléaire (IRSN)





NEA/NSC/DOC(95)03/VIII Volume VIII

ALARM-TRAN-AIR-SHIELD-001

NEUTRON ACTIVATION FOIL AND THERMOLUMINESCENT DOSIMETER RESPONSES TO A BARE PULSE OF THE CEA VALDUC SILENE **CRITICAL ASSEMBLY**

Evaluators

Thomas M. Miller Cihangir Celik Kimberly L. McMahan Oak Ridge National Laboratory

Yi-Kang Lee Emmanuel Gagnier Commissariat à l'Énergie Atomique et aux Énergies Alternatives, Centre de Saclay

> **Nicolas Authier** Jérome Piot Xavier Jacquet Guillaume Rousseau

Commissariat à l'Énergie Atomique et aux Énergies Alternatives, Centre de Valduc

Kevin H. Reynolds Y-12 National Security Complex

Internal Reviewer

Soon S. Kim Lawrence Livermore National Laboratory

Independent Reviewers

Matthieu Duluc François Trompier Marie Anne Chevallier Sylvain Beytout (External Contractor, MILLENNIUM) Institut de Radioprotection et de Sûreté Nucléaire













NEA/NSC/DOC(95)03/III

IEU-SOL-THERM-005



UNREFLECTED CRITICAL DIMENSION OF AQUEOUS SOLUTION OF U(37 %) O_2F_2 IN SPHERICAL GEOMETRY

Evaluators

Tanja Kaiba Gašper Žerovnik Luka Snoj Igor Lengar

Jožef Stefan Institute

Internal Reviewer Igor Lengar

Independent Reviewer

Margaret A. Marshall Idaho National Laboratory








Table 4.1. Sample Calculation Results (k_{eff}) for the Benchmark Models.

	$k_{\it eff}$	$\pm \sigma_{MCNP}$	Calculation Bias $(\Delta k_{e\!f\!f})$	Relative deviation (C-E)/E ^(a)
MCNP 6 1.0	0.99940	± 0.00006	-0.00470	-0.5 %
COG 11.1 (b)	0.99943	± 0.00013	-0.00467	-0.5 %
KENO V.a (c)	0.99934	± 0.00008	-0.00476	-0.5 %



NEA/NSC/DOC(95)03/II Volume II

HEU-MET-FAST-074



ORALLOY (93.2 ²³⁵U) BARE METAL ANNULI AND DISKS

Evaluator

Andrew Hummel Idaho National Laboratory

> Internal Reviewer John D. Bess

Independent Reviewers

Michael F. Murphy OECD/NEA Contractor

John T. Mihalczo Oak Ridge National Laboratory










Table 4.1. Detailed Benchmark and Calculated Eigenvalues.

Case	Cal	cula	ited	Benchma	rk Ex	periment	<u>C</u> -	- <i>E</i>	%
	\mathbf{k}_{eff}	±	σ	\mathbf{k}_{eff}	±	σ	i	E	
1	0.99640	±	0.00002	0.9988	±	0.0005	-0.24	±	0.05
2	0.99629	±	0.00002	0.9979	±	0.0005	-0.16	±	0.05
3	0.99471	±	0.00002	0.9970	\pm	0.0005	-0.23	±	0.05
4	0.99593	±	0.00002	0.9975	±	0.0005	-0.16	±	0.05

Results were calculated using MCNP6.1 with the ENDF/B-VII.1



NEA/NSC/DOC(95)03/II Volume II

HEU-MET-FAST-077



EXPERIMENTS WITH HEU (93.14 wt.%) METAL ANNULI WITH INTERNAL GRAPHITE CYLINDER

Evaluator

Xiaobo Liu
The Institute of Nuclear Physics and Chemistry
Chinese Academy of Engineering Physics

Internal Reviewers
John D. Bess
Idaho National Laboratory

Independent Reviewer

Udo Wehmann OECD/NEA Consultant

John T. Mihalczo
Oak Ridge National Laboratory












Figure 2. 3-D Figure for Core Configuration of Case 2.

Table 47. Comparison of Detailed Benchmark Model Experimental and Calculated Eigenvalues (Case 1).

ſ	Analysis	Neutron Cross	Cal	cula	ited	Benchma	rk Ex	xperiment	<u>c</u> -	– E	%
	Code	Section Library	\mathbf{k}_{eff}	±	σ	\mathbf{k}_{eff}	±	σ]	Е	<i>7</i> 0
		ENDF/B-VII.1	0.99723	±	0.00004				-0.08	±	0.06
	MCNP6-1.0	ENDF/B-VII.0	0.99735	±	0.00004	0.9981	±	0.0006	-0.07	±	0.06
		JEFF-3.1 ^(a)	0.99408	±	0.00004	0.5501		0.0000	-0.40	±	0.06
		JENDL-3.3 ^(a)	1.00077	±	0.00004				0.27	±	0.06

(a) Results provided by John D. Bess from Idaho National Laboratory.

Table 48. Comparison of Detailed Benchmark Model Experimental and Calculated Eigenvalues (Case 2).

Analysis	Neutron Cross		cula	ited	Benchma	rk Ex	periment	<u>C</u>	- E	%
Code	Section Library	\mathbf{k}_{eff}	±	σ	\mathbf{k}_{eff}	±	σ		E	
	ENDF/B-VII.1	0.99628	±	0.00004				-0.08	±	0.06
MCNP6-1.0	ENDF/B-VII.0	0.99640	±	0.00004	0.9971	±	0.0006	-0.07	±	0.06
	JEFF-3.1(a)	0.99312	±	0.00004	0.5571		0.0000	-0.40	±	0.06
	JENDL-3.3 ^(a)	1.00005	±	0.00004				0.29	±	0.06

(a) Results provided by John D. Bess from Idaho National Laboratory.

Results were calculated using MCNP6-1.0



NEA/NSC/DOC(95)03/IV Volume IV

LEU-COMP-THERM-067



CRITICAL LOADING CONFIGURATIONS OF THE IPEN/MB-01 REACTOR COMPOSED OF FUEL AND MOLYBDENUM RODS

Evaluators

Adimir dos Santos, Graciete Simões de Andrade e Silva, Leda Cristina Cabelo Bernardes Fanaro, Mitsuo Yamaguchi, Luis Felipe Liambos Mura, Rinaldo Fuga, and Rogério Jerez Instituto de Pesquisas Energéticas e Nucleares – IPEN-CNEN/SP

> Stefano Sgarra Politecnico di Torino – Dipartimento di Energia

Internal Reviewer
Paulo de Tarso Dalledone Siqueira
Instituto de Pesquisas Energéticas e Nucleares – IPEN-CNEN/SP

Independent Reviewers

Andrew Hummel John D. Bess Idaho National Laboratory










Figure 13. Experimental Core Configuration for Case 1.

Table 24. Final Values of keff and the Respective Uncertainties.

Case	N° Molybdenum Rods	k _{eff}	Temperature
1	30	1.0005 ± 0.0005	20.00 °C
2	28	1.0004 ± 0.0005	20.00 °C
3	24	1.0004 ± 0.0005	20.00 °C
4	20	1.0005 ± 0.0005	20.00 °C

Table 25. Sample Calculation Results .

Code (Cross Section Set) →	MCNP5 (Continuous Energy	Benchmark Value k _{eff} ± σ	(C-E)/E %
Case Number ↓	ENDF/B-VII.0) 1.00086 ± 0.00004	1.0005 ± 0.0005	0.036 ± 0.048
2	1.00068 ± 0.00004	1.0004 ± 0.0005	0.028 ± 0.048
3	1.00082 ± 0.00004	1.0004 ± 0.0005	0.042 ± 0.048
4	1.00094 ± 0.00004	1.0005 ± 0.0005	0.044 ± 0.048




FY2015 Accomplishments - Revisions & IRPhEP

SESSION 2:	DISCUSSION OF MINOR REVISIONS AND APPROVED IRPHEP EVALUATIONS	
HEU-SOL-THERM-020	Unreflected Cylinders of Uranyl-Fluoride Solutions in Heavy Water (Revision to Level Indicator Pipe Diameter)	John Bess
LEU-COMP-THERM-039	Incomplete Arrays of Water-Reflected 4.738-wt.%-Enriched Uranium Dioxide Fuel-Rod Arrays (Revision to Figure and APOLLO-MORET Calculations)	Nicolas LeClaire
HEU-MET-FAST-099 (ORCEF-SPACE-EXP-001)	Fast Neutron Spectrum Potassium Worth for Space Power Reactor Design Validation	John Bess
SESSION 3:	DISCUSSION OF EVALUATIONS THAT HAVE BEEN REVISED TO INCLUDE ADDITIONAL DATA	
HEU-COMP-FAST-004	Critical Configuration for Beryllium-Reflected Assemblies of U(93.15)O ₂ Fuel Rods (1.506-cm Pitch and 7-Tube Clusters)	Margaret Marshall
(SCCA-SPACE-EXP-003)	(Revision to Include Two New Critical Configurations)	
SESSION 10:	DISCUSSION OF MINOR REVISIONS AND APPROVED IRPHEP EVALUATIONS (Continued)	
IEU-MET-FAST-020	The FR0 Series 1: Copper-Reflected "Cylindrical" Uranium (20 % 235U) Metal (Revision to Include Released Data)	Dennis Mennerdahl
IEU-MET-FAST-022	The FR0 Experiments with Diluted 20%-Enriched "Cylindrical" Uranium Metal Reflected by Copper (Revision to Include Released Data)	Dennis Mennerdahl
HEU-MET-FAST-083	Complex Geometry Bare Oralloy (93.15 ²³⁵ U) Metal Annuli Experiments	Quinton Beaulieu


8



FY2016 Accomplishments



- OECD NEA provided 100 DVDs to LLNL for NCSP distribution
- 63 DVDs received and mailed out to registered NCSP users in January
- DVD size limitations are becoming a problem. 2016 solution = 2 DVDs
- DVD2 contains Volumes VIII and IX





FY2016 Work in Progress





The 2016 ICSBEP meeting will be convened jointly with IRPhEP the week of **April 18-22**, 2016, at OECD Nuclear Energy Agency (NEA) Headquarters in their new location at 46 Quai Alphonse Le Gallo, Boulogne-Billancourt, Paris. NCSP evaluations in preparation include:

- IER126, Silene CAAS Benchmark with Pb and CH₂/Cd Reflectors (T. Miller)
- IER161, BeRP/W (J. Hutchinson)
- IER285, 7uPCX with Ti Rods (G. Harms)
- Jezebel, Rev. 4 (J. Favorite)

The NCSP Manager has extended an invitation to NEA to host the ICSBEP/IRPhEP meeting in Washington, DC, the week of October 31 - November 4, 2017, which is the week before the ANS Winter Meeting.



Issues – Godiva IV

- No schedule for completion
- Need for revision <u>identified</u> in HEU-MET-FAST-086 in the disclaimer
- Additional data from DAF is available but not included in the evaluation
- Revision support IER-147, 148, 175, 268, etc.

NEA/NSC/DOC/(95)03/II Volume II

HEU-MET-FAST-086

GODIVA-IV DELAYED-CRITICAL EXPERIMENTS AND DESCRIPTION OF AN ASSOCIATED PROMPT-BURST EXPERIMENT

DISCLAIMER:

When the Godiva IV critical assembly was refueled in 2012, additional details relevant to this benchmark became apparent. There are two revisions necessary for this evaluation to be correct:

First, the original drawing of the spindle was obsolete, which had a smaller glory hole than what is currently used in the assembly. The effect of the larger glory hole on system reactivity is negative due to the increased neutron leakage.

Second, there is a shim plate located under the safety block that alters the assumed height (and thus density) of the safety block. The presence of the shim has an important impact on the system. The density in the high importance region is currently underestimated and any neutron reflection from the shim piece is not accounted for. The corresponding correction of adding the shim and increasing the density of the safety block would have a positive effect on system reactivity.

The current evaluation is still available for use until the revised evaluation becomes available.

Additional information is provided below regarding the necessary revisions:

Spindle

Drawing 128Y1719431, "Godiva Core Top Subassy Spindle, Mod 11B," shows a glory hole with a ¼" (0.635 cm) inner diameter. Drawing 128Y1719515, "Godiva Core Subassy Spindle, Mod 0," is consistent with the current core configuration of Godiva IV. It shows a glory hole with an inner diameter of 9/16" (0.563", 1.42875 cm) instead. This diameter accommodates the current source holder and sample holder used for experiments on Godiva. Figure 1 shows a photograph of the current spindle with one inner fuel piece attached to it. Figures 2 and 3 show the pictorial and elevation views, respectively, of the two spindle designs.



Figure 1: Photo of current Godiva IV spindle, ca. 2005.


Revision: 1 Date: September 30, 2014

Page 1 of 4



Issues - Class Foils in Lucite

- No schedule for completion
- Lucite plates documented in LA-UR-13-20325
- HEU-MET-THERM-032 is a very similar experiment with polyethylene instead of lucite
- HEU-MET-THERM-032 was completed by Rene Sanchez and 4 collaborators from the Jozef Stefan Institute
- Volunteers are available to assist in completion





Questions?

International Criticality Safety Benchmark Evaluation Project - LLNL ncsp.llnl.gov/ICSBEP/ Google Apple iCloud Facebook Wikipedia Yahoo Twitter News ▼ Popular ▼ NCSP Main Inte

Security/Privacy NGSP

Information Preservation & Dissemination (IP&D) A Brief History of the CSBEP, ICSBEP and NCSP



HOME

ICSBEP Handbook - History

- Peruse Handbook on-line
- Download or burn DVD images CD2015 VOL 1 CD2015 VOL 2
- Request a DVD by mail
- Password request

ICSBEP Database (DICE)

- DICE User's manual DICE software Dice Data Part 1 Dice Data Part 2
- 2012 New Evaluations 2013 New Evaluations 2014 New Evaluations 2015 New Evaluations 2016 New Evaluations

Integral Experiments Request (IER)

DOE Nuclear Criticality Safety Program

International Reactor Physics Evaluation Project

Evaluators

- ICSBEP Document Content and Format Guide
- ICSBEP Guide to the expression of Uncertainties

Partners

- OECD
- NEA
- CEA-Valduc
- IRSN
- VNIITF - WPNCS



Manager



Mr. Dae Chung Principal Deputy Assistant Secretary United States Department of Energy

In 1992, the Criticality Safety Benchmark Evaluation Project (CSBEP) was founded under the auspices of US DOE Office of Defense Programs by Mr. Dae Chung with criticality safety experts participating from across the US DOE Complex:

· Bettis Atomic Power

Los Alamos National

Idaho National Laboratory

· Pacific Northwest National

Laboratory

Laboratory

Laboratory

Rocky Flats Plant

- Argonne National
- Laboratory Hanford
- Lawrence Livermore National Laboratory
- Oak Ridge National
- Laboratory
- Sandia National
- Laboratories

Federation, and the United Kingdom.

 Savannah River National
 Y-12 Plant Laboratory

In 1994, the CSBEP welcomed its first international

participants from France, Hungary, Japan, the Russian



In 1995, to further enhance international participation, the DOE allowed the CSBEP to become an official activity of the Organization for Economic Cooperation and Development (OECD), Nuclear Energy Agency (NEA), Working Party on Nuclear Criticality Safety (WPNCS), and the name was changed to the International Criticality Safety Evaluation Project (ICSBEP).

In 1997, the Nuclear Criticality Safety Program (NCSP) was formally established by DOE under the auspices of the Office of Defense Programs.

Today, the ICSBEP remains an important element of the US DOE NCSP as described by Dr. Jerry McKamy in the NCSP Mission and Vision. Current NCSP activities including ICSBEP participation are described in the Five-Year Execution Plan.

Page contact: Chuck K. Lee, lee12@llnl.gov.

The Lawrence Livermore National Laboratory maintains this website.

Updated: Friday, March 4, 2016